



The traditional shape of the Borealis B10 candelabra lamp is the perfect alternative for all conventional candelabra lamps and general lighting needs in chandeliers, wall sconces, ceiling fans, and other decorative lighting fixtures. The patent pending Borealis B10 lamps are available with a classic clear lens which radiates a captivating light, instantly lending themselves well to standard lighting applications. The standard base and the look and feel of the Borealis B10, allows for incorporation into all compatible fixtures.

Specifications:

CCT	2700° K
Power Factor	91.5
Power Consumption	2.12W
Efficacy	38.1 LPW
Input Voltage	120V
Base	E12 / E14
CRI	88
Luminous Flux	81 lm

Features:

- 50,000 hours of continuous usage
- Replaces 15 watt incandescent lamps
- Uniform illumination
- Dimmable with Triac and Reverse-phase dimmers
- Direct AC Drive - No high frequency switching
- Patent pending
- UL File No. E321474
UL 1993 Self-Ballasted Lamps and Lamp Adapters
UL 8750 Light Emitting Diode (LED) Equipment for use in Lighting Products

lighting facts [®]	
A Program of the U.S. DOE	
Light Output (Lumens)	81
Watts	2.12
Lumens per Watt (Efficacy)	38
Color Accuracy	88
Color Rendering Index (CRI)	
Light Color	2717 (Warm White)
Correlated Color Temperature (CCT)	
Warm White	Bright White
2700K	3000K
4500K	6500K
<small>All results are according to IESNA LM-79-2008: Approved Method for the Electrical and Photometric Testing of Solid-State Lighting. The U.S. Department of Energy (DOE) verifies product test data and results.</small>	
<small>Visit www.lightingfacts.com for the Label Reference Guide.</small>	
<small>Registration Number: 2MXT-WJLTPQ (12/8/2011)</small>	
<small>Model Number: B10 (2700K)</small>	
<small>Type: Replacement lamp - Decorative</small>	